




MATERIAL SAFETY DATA SHEET

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Slime Pro Tire Sealant-OTR		DATE: February 8, 2010	
PRODUCT NUMBER:		DATE: February 8, 2010	
TRADE NAME: Slime Pro Tire Sealant-OTR GENERAL USE: Sealant PRODUCT DESCRIPTION: Green Thixotropic Liquid with Mild Odor.			
EUROPEAN DISTRIBUTOR Freightways c/o Access Marketing Europe			
DISTRIBUTOR TELEPHONE NUMBER (General Inquiries) (71) 4090701		DATE PREPARED: February 8, 2010 SUPERSEDES: September 30, 2009	
DISTRIBUTOR ADDRESS (NUMBER, STREET, P.O. BOX) Mandenmakerstraat 6 (CITY / STATE / POSTAL CODE) COUNTRY 2222 AX Katwijk Nederlands		CHEMTEL 24-HOUR EMERGENCY TELEPHONE NUMBERS	
			1-800-255-3924 North America (Toll Free)
		813-248-0585 International and Local Calls	
DISTRIBUTOR/ MANUFACTURER (NORTH AMERICA) Accessories Marketing, Inc.		NORTH AMERICA ADDRESS (NUMBER, STREET, P.O. BOX) 800 Farroll Rd	
NORTH AMERICA TELEPHONE NUMBER (General Inquiries) (805) 489-0490		NORTH AMERICA (CITY / STATE / POSTAL CODE) COUNTRY Grover Beach, CA 93433 USA	

SECTION 2 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW			
Mild paste, ingestion may cause gastric distress. Product has low toxicity.			
US HAZARD SYMBOL(S)		EUROPEAN (GHS) HAZARD SYMBOLS	
No Hazards Symbols Required			
HMIS HAZARD RATINGS			
0=INSIGNIFICANT, 1=SLIGHT 2=MODERATE, 3=HIGH 4=EXTREME	HEALTH:	1	
	FLAMMABILITY:	0	
	PHYSICAL HAZARD:	0	
REQUIRED PERSONAL PROTECTIVE EQUIPMENT:			
HMIS PERSONAL PROTECTIVE EQUIPMENT LETTER: A			Safety Glasses are recommended as good practice during use.
RISK PHRASES			
NONE			
SAFETY PHRASES			
S2 - Keep out of the reach of children.			
POTENTIAL HEALTH EFFECTS			
INHALATION:			
None expected, however, certain individuals may experience minor nausea or headaches.			
SKIN:			
None expected, however, prolonged contact may cause irritation.			
EYES:			
Contact with eyes may cause irritation.			
INGESTION:			
May cause gastric distress, vomiting and diarrhea.			
CARCINOGENICITY:			
NTP? NO		IARC MONOGRAPHS? NO	
CALIFORNIA, Prop.65? NO		OSHA REGULATED? NO	
		ESIS NOTATION? NO	

SECTION 3 - HAZARDOUS INGREDIENTS

Hazardous Components	% (by Weight)	CAS #	EINECS #	Hazard Symbol	RISK PHRASES (Full Text Section 15)
No hazardous materials present as defined by OSHA - 29 CFR 1910.1000; EPA - 40 CFR 260 - 281, 302, 355, 370, 372; DOT - 49 CFR 172; WHMIS or EC Directives 1907/2006 (REACH) and 67/548/EEC. NOTES: This Material Safety Data Sheet is prepared to comply with the United States Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200), the Canadian Workplace Hazardous Materials Information System (WHMIS), and European Union Directive 1907/2006 (REACH). Hazard symbols and risk phrases are based on maximum listed concentration of each hazardous ingredient. Unlisted ingredients are not "hazardous" per the OSHA Hazard Communication Standard (29 CFR 1910.1200), the Canadian Workplace Hazardous Materials Information System (WHMIS) or the European (GHS) directive 1907/2006 and are considered trade secrets under US Federal Law (29CFR and 40CFR), Canadian Law (Health Canada Legislation), and European Union Directive 67/548/EEC.					

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: Slime Pro Tire Sealant-OTR
PRODUCT NUMBER: DATE: February 8, 2010

SECTION 4 - FIRST AID MEASURES

INHALATION:

Remove victim to fresh air. Get medical attention for serious cases or if symptoms persist.

EYES:

Remove contact lenses if present, then flush eyes with water for at least 15 minutes. Get medical attention if irritation persists.

SKIN:

Remove contaminated clothing and wash skin with soap and water. Get medical attention if irritation persists.

INGESTION:

If swallowed, DO NOT induce vomiting. Give 1-2 glasses of water. Get medical attention immediately.

SECTION 5 - FIRE FIGHTING MEASURES

GENERAL HAZARDS:

FLASH POINT : **NA. Not Flammable.** Explosive Limits : NA (None). Autoignition temperature: None.

EXTINGUISHING MEDIA:

Choose extinguishing media to fight surrounding fire.

FIRE FIGHTING PROCEDURES:

Keep containers cool using water spray to avoid bursting. Wear Self-Contained Breathing Apparatus and full gear.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

Contents under pressure. Do not puncture or incinerate containers. Exposure to temperatures above 120° F (48.9° C) may cause container to rupture; flooring may become slippery from released material.

HAZARDOUS COMBUSTION PRODUCTS:

CO, CO₂., smoke.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

Small spills - wash to sanitary sewer with plenty of water.. Large spills - soak up with approved absorbent (clay or diatomaceous earth is a good choice) and shovel absorbed product into approved container for disposal. Wash area with plenty of water.

SECTION 7 - HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

Read label cautions carefully. Follow the label directions to avoid injury. Do not use near heat, sparks and open flames. Safety glasses are recommended during use. Avoid contact with food. Keep out of the reach of children.
STORAGE PRECAUTIONS: Store in a cool well ventilated area. Do not store at temperatures above 120°F (48.9° C), below 20°F (-6.7° C) or in direct sunlight. Protect containers from punctures or crushing. Keep out of the reach of children.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

HAZARDOUS COMPONENTS	NIOSH				ACGIH		OSHA	
	TWA ppm	TWA mg/m ³	STEL ppm	STEL mg/m ³	TLV/TWA ppm	TWA mg/m ³	STEL ppm	STEL mg/m ³

No hazardous materials present as defined by OSHA - 29 CFR 1910.1000; EPA - 40 CFR 260 - 281, 302, 355, 370, 372; DOT - 49 CFR 172; WHMIS or EC Directives 1907/2006 (REACH) and 67/548/EEC.

PERSONAL PROTECTION

RESPIRATORY PROTECTION:

Not required during normal use; wear self-contained breathing apparatus for firefighting.

PROTECTIVE GLOVES:

None required in normal use.

EYE PROTECTION:

Safety Glasses or Goggles should be worn to prevent injuries from shrapnel or contact with product.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT:

For severe decontamination, use safety shower and eyewash fountain. Wash basin is suggested for cleansing hands after use.

WORK / HYGIENIC PRACTICES:

Wash hands after use. Remove all contaminated clothing and laundry before re-use. Wash skin with soap and water.

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: Slime Pro Tire Sealant-OTR
PRODUCT NUMBER: _____ **DATE:** February 8, 2010

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR Green color thixotropic liquid with mild odor.	VAPOR PRESSURE NA
pH 9.0-10.0	SPECIFIC GRAVITY (WATER = 1) 0.8-1.0
BOILING POINT NR	SOLUBILITY IN WATER Emulsifies
MELTING POINT Not Determined.	VISCOSITY (Brookfield) >500K cPs
FLAMMABLE LIMITS LEL: None UEL: None	VAPOR DENSITY (AIR = 1) NR
AUTOIGNITION TEMPERATURE Non-Flammable.	EVAPORATION RATE (WATER = 1) NR
VOLATILE ORGANIC COMPOUND (VOC) INFORMATION 0% by weight.	

SECTION 10 - STABILITY AND REACTIVITY

STABILITY	STABLE	X	CONDITIONS TO AVOID: Extreme temperatures, keep from freezing
INCOMPATIBILITY (MATERIALS TO AVOID): Strong oxidizers, strong acids			
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Decomposition will not occur if handled and stored properly. In case of a fire, oxides of carbon, hydrocarbons, fumes, and smoke may be produced.			
HAZARDOUS POLYMERIZATION: Will not Occur.		CONDITIONS TO AVOID: None related to hazardous polymerization.	

SECTION 11 - TOXICOLOGICAL INFORMATION

Hazardous Components	CAS # EINECS #	LD50 of Ingredient (Specify Species and Route)	LC50 of Ingredient (Specify Species)
No hazardous materials present as defined by OSHA - 29 CFR 1910.1000; EPA - 40 CFR 260 - 281, 302, 355, 370, 372; DOT - 49 CFR 172; WHMIS or EC Directives 1907/2006 (REACH) and 67/548/EEC.			

SECTION 12 - ECOLOGICAL INFORMATION

No data are available on the adverse effects of this material on the environment. Neither COD nor BOD data are available. Based on the chemical composition of this product it is assumed that the mixture can be treated in an acclimatized biological waste treatment plant system in limited quantities. However, such treatment should be evaluated and approved for each specific biological system. None of the ingredients in this mixture are classified as a Marine Pollutant.

SECTION 13 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD:
Do not allow undiluted and/or large quantities of product to enter sewage systems or reach ground water or bodies of water. Dispose of in accordance with Local, State, and Federal Regulations. Product is classified as non-hazardous, however, non-hazardous materials may become hazardous waste upon contact with other products. Refer to "40 CFR Protection of Environment Parts 260 - 299" for complete waste disposal regulations. Consult your local, state, or Federal Environmental Protection Agency before disposing of any chemicals.

SECTION 14 - TRANSPORT INFORMATION

PROPER SHIPPING NAME: Not Regulated for Transport			
DOT HAZARD CLASS / Pack Group: None		IATA HAZARD CLASS / Pack Group:	None
REFERENCE: 49CFR172		IMDG HAZARD CLASS:	None
UN / NA IDENTIFICATION NUMBER:	None	RID/ADR Dangerous Goods Code:	None
LABEL:	None	UN TDG Class / Pack Group:	None
HAZARD SYMBOLS:	None	Hazard Identification Number (HIN):	None

Note: Transportation information provided is for reference only. Client is urged to consult CFR 49 parts 100 - 177, IMDG, IATA, EU, United Nations TDG, and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: Slime Pro Tire Sealant-OTR
PRODUCT NUMBER: _____ **DATE:** February 8, 2010

SECTION 15 - REGULATORY INFORMATION

TSCA (USA - Toxic Substance Control Act): **All components are listed.**
 SARA TITLE III (USA - Superfund Amendments and Reauthorization Act):
 Acute Health: **NO** Chronic Health: **NO**
 Fire: **NO** Sudden Release of Pressure: **NO**
 Reactive: **NO**

SARA 313 REPORTABLE INGREDIENTS: None
 CERCLA (USA - Comprehensive Response Compensation and Liability Act): **No components with an RQ.**
 California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986: **No Reportable Components.**
 CPR (Canadian Controlled Products Regulations): **Not Controlled per WHMIS.**
 IDL (Canadian Ingredient Disclosure List): **Non-Hazardous - No Disclosure Required.**
 DSL / NDSL (Canadian Domestic Substances List / Non-Domestic Substances List): **Listed on DSL**
 EINECS (European Inventory of Existing Commercial Chemical Substances): **All Components Referenced.**

WGK Water Quality Index: **1**

RISK PHRASES:	SYMBOL(S) REQUIRED FOR EU LABEL	SAFETY PHRASES:
None	None	S2 - Keep out of the reach of children.

SECTION 16 - OTHER INFORMATION

Legend:
ACGIH - American Congress of Government Industrial Hygienists
CAS - Chemical Abstracts Service
EINECS- European Inventory of Existing Commercial Chemical Substances
HMIS - Hazardous Materials Identification System
IARC - International Agency for Research on Cancer
NA Not Available ND - Not Determined
NE - Not Established NR - Not Reported
NIOSH - National Institute for Occupational Safety and Health
NTP - National Toxicology Program
OSHA - Occupational Safety and Health Administration

REVISION SUMMARY: Revised Issue (Commercial Name) for latest USA, Canada, EU Regulations and GHS conformity 8 Feb 2010. JTV.

MSDS Prepared by:
 ChemTel Inc.
 1305 North Florida Avenue
 Tampa, Florida USA 33602-2902
 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573
 Website: www.chemtelinc.com



The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.